



IMPULSE²⁶

SELECTION

R9320 0023
SAFETY KNIFE



R3800 2105
SCREWDRIVER SET
WITH STRIKING CAPS



CONTENTS

	RATCHET SPANNERS	04		WORKSHOP EQUIPMENT	22 – 27
	SOCKET SETS	05 – 10		PLIERS	28 – 29, 38 – 41, 43 – 44
	MOBILE TOOL STORAGE	11 – 14		1000V	37, 42, 45 – 49
	RANGE OF SOCKETS	15		WORK LAMPS	33 – 36
	TORQUE WRENCHES	20		CUTTING / FILING / DRILLING	30 – 32, 50 – 51
	SCREWDRIVERS AND BITS	16 – 19, 21			



R3900 2020
VDE INTERCHANGEABLE
BLADE SET

R0710 5012

COMBINATION RATCHET SPANNER SET

metric, 12 pieces

€93,²⁸ + VAT

- > In accordance with DIN 3113, ISO 3318
- > Ring offset to 15°, reversible for right and left hand operation
- > 72 teeth Ratchet mechanism
- > In holder



Code	No.	Contents	Pieces	Weight kg
3300850	R07105012	Combination ratchet wrench 8 9 10 11 12 13 14 15 16 17 18 19 mm	12	1,57

R0740 5006

DOUBLE ENDED RING RATCHET SPANNER SET

straight, metric, 6 pieces

€85,⁵⁵ + VAT

- > In accordance with DIN 837
- > Straight pattern
- > 72 teeth Ratchet mechanism
- > In holder



Code	No.	Contents	Pieces	Weight kg
3300898	R07405006	Double ring ratchet spanner 8x9 10x11 12x13 14x15 16x18 17x19 mm	6	1,1

R0910 5017

COMBINATION SPANNER SET

metric, 17 pieces

- > Acc. to DIN 3113, Form A, ISO 3318, ISO 7738
- > Jaw set at 15°
- > In holder



€48,⁵⁷ + VAT



Code	No.	Contents
3300994	R09105017	Combination spanner 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 mm

Pieces	Weight kg
17	2,21



R3300 3067


1/4" BIT SET

67 pieces

- › Set with common bit sizes and drive adapter with bit lock
- › Long bits
- › Screwdriver with strong magnet for quick and easy bit replacement and ergonomic grip
- › Quick-change adapter enables quick bit changes



€43,⁸⁷
+ VAT



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3301352	R33003067	300	180	52	67	1,1

Contents

Offset screwdriver set 1.5, 2, 2.5, 3, 4, 5, 6 mm, 1/4" Magnetic bit screwdriver, 1/4" Quick change adapter
1/4" Bits, 25mm: PH1 (3x), PH2 (2x), PH3 (1x), PZ1 (3x), PZ2 (2x), PZ3 (1x), Slotted 4, 4.5, 5.5, 6.5mm
TX T6, T7, T8, T9, T10, T10, T15, T15, T20, T20, T25, T25, T27, T30, T30, T40, T40, TX T10H, T15H, T20H, T25H, T27H, T30H, T40H
Hexagon socket 2, 3, 4, 5, 6 mm, Bit adapter 1/4" square x 1/4" hex
1/4" bits, 90mm: PH1 (1x), PH2 (1x), PZ1 (1x), PZ2 (1x), TX T20, T25, T30, Hexagon socket 3, 4, 5, 6 mm, Slotted 5.5mm

R3300 3040

1/4" BIT SET

40 pieces

- › Set with common bit sizes and drive adapter with bit lock
- › Screwdriver with strong magnet for quick and easy bit replacement and ergonomic grip
- › Reversible ratchet with 2C-handle and 5° return angle and reversible lever for convenient change of direction
- › Quick-change adapter enables quick bit changes



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3301349	R33003040	230	130	52	40	0,8

Contents

1/4" Sockets 5.5 6 7 8 10 12 13 mm, 1/4" Reversible ratchet
1/4" Adapter 4kt x 6kt, 1/4" Magnetic bit screwdriver
1/4" Quick change adapter, 1/4" Bits, 25mm: PH1 (2x), PH2 (3x), PH3 (1x), PZ1 (1x), PZ2 (3x), PZ3 (1x)
Slotted 5.5mm, Hexagon socket 3 4 5 6 8 mm
TX T10 T15 T20 T25 T30 T40, TX T10H T15H T20H T25H T30H, Bit adapter 1/4" square x 1/4" hex

R4900 5023

BIT-RATCHET-SET 1/4" WITH ADAPTOR COMPACT

23 pieces

- › Adaptor 1/4" for driving sockets and screwdriver bit sockets
- › Bit ratchet, lever for reversing clockwise/anticlockwise direction, fine-toothed, oval head, hexagon for direct fitting of bits based on DIN 3126 - D 6,3, with holding spring, sturdy all-steel design
- › For hand-operated applications
- › Rugged plastic box with belt clip
- › Transparent lid with clamp fastener

€34,⁰³
+ VAT



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3300026	R49005023	100	69	43	23	0,35

Contents

Bit ratchet 1/4" reversible, with drive adapter
Socket wrench insert hexagon 6 7 8 10 11 12 13 mm
1/4" bits hexagon socket 4 5 6 mm 1/4" bits slot 5,5 mm, 1/4" bits cross recess PH 1 2
1/4" bits cross recess PZ 1 2, 1/4" bits TX T15 T20 T25 T27 T30
Adapter 1/4" 4kt x 1/4" 6kt, Bit holder 1/4" 6kt x 1/4" 6kt, with magnet | 67 mm

NEW**R4711 2002**

BIT HOLDER SET WITH QUICK-TURN SLEEVE

2-piece (200 mm)

- > 2-piece set: Includes two magnetic bit holders in 200 mm length with quick-turn sleeves for precise and fast work – ideal for hard-to-reach places
- > Suitable for common drive sizes: Bits in 1/4" (6.3 mm) as well as sockets in 3/8" and 1/2" – versatile for everyday workshop use
- > Quick-turn sleeve: Allows fast manual rotation without changing tools
- > Robust design: High-quality materials for durable and reliable use

€19,33
+ VAT


**Long reach and
fast operation**

Durability and resilience



**Fast manual turning
for precise guidance**

**High compatibility
with common systems**



Code
3301915

No.
R47112002

Pieces
2

Weight kg
0,229

NEW

R4711 2102

BIT HOLDER SET

2-piece (75 mm)

- > 2-piece set: Includes two magnetic bit holders in 75 mm length – ideal for hard-to-reach places
- > Suitable for common drive sizes: Bits in 1/4" (6.3 mm) as well as sockets in 3/8" and 1/2" – versatile for everyday workshop use
- > Robust design: High-quality materials for durable and reliable use

€10,⁹² + VAT

No unnecessary
tool changes for 1/4"
and 3/8"+1/2" socket
wrench sockets

Reliability
and durability

Compact length
for tight spaces

Versatile use in everyday
workshop tasks



Code
3301916

No.
R47112102

Pieces
2

Weight kg
0,076

R4710 2004

ADAPTER SET

4 pieces

- > Versatile adapter sizes: Includes 1/4", 3/8", and 1/2" adapters and 1/4" magnetic bit holder for flexible use
- > Robust material: Made of heat-treated chrome-vanadium steel for high durability
- > Practical organizer: Supplied in a compact holder for easy storage and quick access
- > Manganese phosphate coating: Provides additional protection against rust and corrosion
- > Compatibility: Fits all quick-change systems and standard drill chucks, suitable for machine use

€11,01 + VAT

**Broad compatibility
with tools and bits**

**High strength
and resilience**

**Neat storage
and quick access**



**Universal use with
various systems**




Code	No.	Contents	Pieces	Weight kg
3301922	R47102004	Adapter 1/4", 3/8" and 1/2" Magnetic bit holder 1/4"	4	0,122

R4710 0075**2-IN-1 QUICK-CHANGE BIT HOLDER**

- > Bit holder with 2-in-1 function
- > 1/4" bit holder with quick-change system for 1/4" bits with external hex drive according to DIN 3126 – C 6.3 + E 6.3
- > For 1/4" sockets with internal square drive according to DIN 3120 / ISO 1174
- > For manual and machine operation

€7,97

+ VAT



Code	No.	Drive connector hexagon male inch	Drive connector hexagon male mm	Drive connector hexagon female inch	Drive connector hexagon female mm	Length mm	Weight kg
3301895	R47100075	1/4"	6,3	1/4"	6,3	75	0,05

**R4600 3100****1/4" + 1/2" SOCKET SET**

100 pieces

- > Ideal for all maintenance works, in the trade or in the workshop

€220,17

+ VAT

Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3300063	R46003100	348	365	105	100	10,4

Contents

1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth | 150 mm
 1/4" square plug-in handle 165 mm
 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm
 1/4" socket extension 50 100 mm
 1/4" sliding T-bar with slider | 115 mm
 1/4" universal joint | 32 mm Bit adapter
 1/4" sq. x 1/4" hex | 25 mm
 1/4" bits in-hex 3 4 5 6 8 10 | 25 mm
 1/4" bits slotted 4 5.5 7 | 25 mm
 1/4" bits cross-head PH 1 2 3 4 | 25 mm
 1/4" bits cross-head PZ 1 2 3 | 25 mm
 1/4" bits TX T8 T10 T15 T20 T25 T27 T30 T40 | 25 mm
 1/2" 2C lever reversible ratchet, fine-toothed, 72 teeth | 250 mm
 1/2" socket hex
 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 26 27 28 30 32 mm
 1/2" socket extension 125 250 mm
 1/2" universal joint | 65 mm
 Socket extension piece/slider 3/8" x 1/2" | 44 mm
 Combination spanners 8 9 10 11 12 13 14 15 16 17 18 19 mm
 Hexagon Allen key set 1.5 2 2.5 3 4 5 6 8 10 mm
 Adjustable spanner 10" 250 mm
 Screwdriver slotted 4 5.5 6.5
 Screwdriver cross-head PH 1 2 3
 Side cutter 180 mm
 Telephone pliers 200 mm
 Water pump pliers 10" 250 mm
 Hammer 500 g




R4600 3232

1/4"+1/2" SOCKET SET

232 pieces

► Ideal for all jobs for trades people or in the workshop

€152,77 + VAT



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3300185	R46003232	2C-1/4" Reversible ratchet length 150 mm Return angle 5° 2C-1/2" Reversible ratchet length 250 mm Return angle 5° 1/4" Sockets 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 25 mm 1/2" Sockets 15 16 17 19 20 21 22 24 38 mm 1/2" Sockets 27 30 32 42 mm 1/4" T-handle with slider 1/4" Socket extension 50 100 mm 1/2" Socket extension 125 - 250 mm 1/4" Universal joint length 33 mm 1/2" Universal joint length 66 mm 1/4" Square socket handle 165 mm 1/4" Sockets TX E4 E5 E6 E7 E8 25mm 1/2" Sockets TX E10 E11 E12 E14 E16 E18 E20 38mm, E22 L 40mm, E24 L41mm Adaptor 3/8" x 1/2" 1/2" Bit adaptor square x 5/16" hexagon 1/4" Bit screwdriver L 100 mm 1/4" Bits 25 mm long: Hexagon socket 3 4 5 6, PH 5x 0 1 2 3 each, PZ 2x 0 1 each 3x 2 3 TX T8 T9 T10 T15 T20 T25 T27 T30 TXB T40 T9 T10 T15 T20 T25 T27 T30 T40 Spanner 5 6 8 XZN 4 6 8 TRI-WING 1 2 3 Torque 6 8 10 1/4" Bits hex 38 mm long 5 5.5 6 7 8 9 10 11 12 13 mm 1/4" Bit holder 60+80+120mm 30-piece Bit box with 1/4" bits, 25 mm long: internal hexagon 2 3 4 5 5.5 6 mm, slot 4 5.5 6 mm PH 1 2 3, PZ 1 2 3, TX T10 T15 5xT20 4xT25 4xT27 T30 T40, TXB T10 T15 T20 T25 T27 T30 T40 5/16" Bits 30 mm long: slotted 6 6.5 8, PH 1 2 2x3 4 each, PZ 1 2 2x3 4 each TX T25 T27 T30 T40 T45 T50, TXB T 25 T27 T30 T40 T5 T45 Combination wrench 6 8 10 11 12 13 14 15 16 17 18 19 mm Offset screwdriver 1.5 2.5 3 4 5 6 8 mm Offset screwdriver TX T9 T10 T15 T20 T25 T27 T30 T40 Insert holder 1/4" square x 1/4" hex length 25mm	452	340	86	232	7,985



R2165 2057

TOOL CASE AZUBI L

57 pieces

- › Basic assortment for the most common applications such as screwing, loosening, cutting and measuring
- › Extremely sturdy case, pressure, dust and water-tight, also ideal for air travel
- › The 2 integrated gas pressure springs keep the case open and protect it from sudden closing
- › Extra storage space with tool panels, including insert bag for clearer overview
- › Strengthened lugs for every kind of padlock

€377,⁵⁶
+ VAT



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3301638	R21652057	Socket set 1/4", 33 pieces 4-13 mm 2C-Screwdriver slotted 3 4 5,5 mm 2C-Screwdriver PH1 PH2 Combination wrench set, 12 pieces 6-22 mm Wooden folding ruler 2 m Class III 2C-Combination pliers 180 mm 2C-Side cutter 160 mm Water pump pliers 10", 7-way adjustable Spirit level 300 mm Engineer's hammer 300 g 300 mm ash	485	212	414	57	10,82





R2165 2101

MASTER TOOL CASE XL

101 pieces

- › Complete tradesperson assortment for screwing, loosening, cutting, measuring and many more jobs and challenges on the building site
- › Ergonomic 2C carrying handle ensures easy and relaxed tool transport
- › The 2 integrated gas pressure springs keep the case open and protect it from sudden closing
- › Extra storage space with tool panels, including insert bag for clearer overview
- › Strengthened lugs for every kind of padlock

€458,82 + VAT



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3301639	R21652101	485	212	414	101	11,85

Contents

Bit-Box 1/4" 32 pieces, slot PH PZ TX hexagon
 Socket set 1/4", 46 pieces 4-14 mm
 Combination ratchet spanner set 5 pieces 8-19 mm
 2C-Bit screwdriver 1/4" 100 mm
 2C-Screwdriver slotted 4 5,5 6,5 mm
 2C-Screwdriver PH1 PH2
 2C-Screwdriver PZ1 PZ2
 Voltage tester 220-250V slot 3,5 mm
 2C-Combination pliers 180 mm
 2C-Power side cutter 180 mm
 Water pump pliers 10", 7-way adjustable
 Flat chisel flat oval 200 x 24 x 13 mm
 Spatula 60 mm
 Wooden folding ruler 2 m Class III
 Spirit level 300 mm
 Engineer's hammer 300 g 300 mm ash



R2190 2124

TOOL TROLLEY MEISTER XXL

124 pieces

- › Complete range of tools for all common applications
- › Robust, dust and waterproof tool trolley equipped with 2 smooth-running castors and snap-in telescopic handle for easy transport of tools
- › The 2 integrated gas pressure springs keep the case open and protect it from sudden closing
- › Increased storage space thanks to tool trays incl. pockets for improved organisation of the tools
- › Strengthened lugs for every kind of padlock



€612,⁶¹ + VAT



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3301641	R21902124	550	225	350	124	14,12

Contents

Bit-Box 1/4" 32 pieces, slot PH PZ TX hexagon
 Socket set 1/4", 46 pieces 4-14 mm
 Combination ratchet spanner set, 5 pieces 8-19 mm
 2C-Bit screwdriver 1/4" 100 mm
 2C-Screwdriver slotted 3 4 5,5mm
 2C-Screwdriver PH1 PH2
 2C-Screwdriver PZ1 PZ2
 2C-Screwdriver TX T15 T20 T25 T27
 Offset screwdriver set, 9 pieces TX T10-T50
 Offset screwdriver set, 9 pieces hex 1,5-10 mm
 Voltage tester 220-250V slot 3,5 mm
 2C-Power side cutter 200 mm
 2C-Combination pliers 200 mm
 Water pump pliers 10", 7-way adjustable
 Flat chisel flat oval 200x24x13mm
 Spatula 60 mm
 Utility knife 18 mm
 Wooden folding ruler 2 m Class III
 Engineer's hammer 500g 320mm ash

PLUMBERS TOOL TROLLEY


72 pieces

- › 72-piece tool assortment for all standard work in the plumbing, heating and air-con area
- › For mobile use, and for air transport
- › Sturdy, dust and water-tight tool trolley
- › Lockable with padlocks

€612,⁶¹ + VAT



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3301644	R21902072	Socket set 1/4", 33 pieces 4-13 mm	550	225	350	72	14,97
		Screwdriver VDE PH1 PH2					
		Screwdriver VDE PZ1 PZ2					
		Screwdriver VDE slot 3x0.5x100 4x0.8x100 5,5x1x125					
		Offset screwdriver set, 9 pieces TX T10-T50					
		Offset screwdriver set, 9 pieces hexagon 1,5-10 mm					
		Voltage tester 220-250V slot 3,5mm					
		2C-Side cutter VDE 180 mm					
		Pipe cutter copper pipe-Ø 3-35 mm					
		Pipe wrench 1.1/2" 420 mm					
		Pliers wrench 10"					
		Water pump pliers 10", 7-way adjustable					
		Flat chisel flat oval 250x25x13mm					
		Spatula 60 mm					
		Utility knife 18 mm					
		Hacksaw 150 mm					
		Wooden folding ruler 2 m Class III					
Spirit level 300 mm							
Engineer's hammer 500 g 320 mm ash							



R6012 0027

2C-1/2" SWIVEL HEAD REVERSIBLE RATCHET

- > Ratchet head swivels through 180°
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 12,5, ISO 1174, with ball retention groove



€40,17 + VAT



Code	No.	Drive connector square	Drive connector square mm	Return angle
3300409	R60120027	1/2"	12,5	5°
Total length mm		Number of teeth		Weight kg
290		72		0,68

R5005 0009

2C-REVERSIBLE RATCHET 3/8" cranked

- > Cranked version
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 12,5, ISO 1174, with ball retention groove



€32,44 + VAT



Code	No.	Drive connector square	Drive connector square mm	Return angle
3300225	R50050009	3/8"	10	10°
Total length mm		Number of teeth		Weight kg
210		36		0,3

NEW

R3800 2105

SCREWDRIVER SET WITH STRIKING CAPS

5 pieces

- > 5-piece screwdriver set with slotted and Phillips profiles – ideal for workshop, assembly, and repair work
- > Extremely robust chisel screwdriver design – suitable for loosening stuck screws
- > Continuous hexagonal blade with striking cap – for loss-free power transmission even when using a hammer
- > Hex key section additionally allows for especially high torques with an open-end or ring spanner
- > Ergonomic Kraftform handle with hard and soft zones – for fast, controlled, and fatigue-free work
- > Roll-off protection prevents annoying rolling away at the workplace
- > High-quality workmanship for maximum durability and professional results

€21,00

+ VAT

Available from May

Efficient power transmission
enables hammer-assisted work

Exceptional durability
and robustness

Ergonomic
2-component handle

Roll-off protection prevents
annoying rolling away



Code	No.	Contents
3301962	R38002105	PH1 x 75 mm / PH2 x 100 mm, SL 5.5 x 75 mm / 6.5 x 100 mm / 8 x 150 mm

Pieces	Weight kg
5	0,001

NEW**R3800 2002**

2IN1 STUBBY SCREWDRIVER

- > 2-in-1 function: 1 stubby bit holder & 1 double bit (SL 6 & PH 2)
- > Compact shape – ideal for work in tight spaces
- > Ball lock for secure bit retention
- > Ergonomic 2-component handle: Combination of hard and soft zones for comfortable and precise work

€5,04
 + VAT

**Bits fit securely
without wobbling**

**Ergonomic
2-component handle**

**Accessible
in tight areas**

**Combined functions
in a compact format**



Code	No.	Length mm	Width mm	Height mm	Weight kg
3301917	R38002002	93	35	35	0,056

R3800 2206

6IN1 SCREWDRIVER

- > 6-in-1 function: 1 handle, 1 shaft with 1/4" and 5/16" holder, 1x 1/4" double bit PH 1 & SL 5, 1x 5/16" double bit PH 2 & SL 6
- > Ball lock for secure bit retention
- > Ergonomic 2-component handle: Combination of hard and soft zones for comfortable and precise work

€7,61
 + VAT

**Space- and
weight-saving**

**Ergonomic
2-component handle**

**Secure
bit fixation**

**Multiple bit
options in one set**



Code	No.	Length mm	Weight kg
3301918	R38002206	204	0,166

NEW

R3800 2004

4IN1 PRECISION BIT SCREWDRIVER

- > 4-in-1 function: 1 handle, 1 shaft for precision bit holder, 1x double bit PH 00 & SL 1.5, 1x double bit PH 0 & SL 3
- > Ball lock for secure bit retention
- > Ergonomic 2-component handle: Combination of hard and soft zones for comfortable and precise work

€11,01 + VAT

Rotatable cap for maximum
precision and control

Ergonomic
2-component handle

Reliable
bit fixation

Multiple precision
bits in one set



Code	No.	Length mm
3301920	R38002004	170

Weight kg
0,044

R3800 2041

41IN1 PRECISION SCREWDRIVER SET

- › Extensive set with 41 parts – ideal for repairs on electronics, watches, smartphones, glasses, and models
- › Ergonomic handle made of PP + TPV – non-slip, soft, and comfortable for precise work
- › 40 precision bits with 3.5 mm shaft diameter and 26 mm shaft length – made of high-quality S2 steel

€33,70 + VAT

Ergonomic handle
made of PP + TPV

Rotatable cap for maximum
precision and control



Wide range of bits
for many applications

High-quality
bit material

Code	No.	Contents	Pieces	Weight kg
3301921	R38002041	6x Slotted bits: 1.0 mm, 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm 5x Phillips: PH 000, PH 00, PH 0, PH 1, PH 2, 2x Square bits: SQ1, SQ2, 2x TX: T3, T4 7x Tamperproof TX: T5, T6, T7, T8, T9, T10, T15 3x Hex: 0.9 mm, 1.3 mm, 1.5 mm 4x Tamperproof Hex: 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm 2x Triangle bits: size #2, #3, 3x Pentalobe: P2, P5, P6 3x Y-bits (Tri-Wing): #000, #0, #1, 1x Stand-off bit: S0, 2x Spanner bits (U-shape): size #4, #6	41	0,367



RX890 XXXX


TORQUE WRENCHES

5-300 Nm

- › Adjustable torque wrench with square drive and integrated ratchet function
- › Audible Torque triggering can clearly be heard and felt
- › Right-hand and left-hand tightening by changing the mushroom head / push-through square
- › Tripping accuracy: $\pm 3\%$ tolerance of the set scale value

from

€108,99 + VAT



Code	No.	Type	Square drive inch	Square drive metric mm	Nm	vernier Nm	Height mm	Housing - square centre spacing mm	Length mm	Head width mm	Head height mm	Weight kg	excl. VAT.
3301214	R48900025	square socket with knob, serrated	1/4"	6,3	5-25	0,1	34	17,5	285	35,0	25,3	0,7	108,99
3301871	R58900050	square socket with knob, serrated	3/8"	10	10-50	0,25	34	17,5	330	35,0	25,3	0,76	114,03
3301216	R68900100	square socket with knob, serrated	1/2"	12,5	20-100	0,5	45	22	395	46,0	35,9	1,35	114,03
3301217	R68900200	square socket with knob, serrated	1/2"	12,5	40-200	1	45	22	485	46,0	35,9	1,515	117,48
3301218	R68900300	square socket with knob, serrated	1/2"	12,5	60-300	1	47	23	575	46,0	35,9	1,7	134,37

R3800 2006
SCREWDRIVER SET
6 pieces

- > Acc. to DIN 5264 and DIN 8764
- > Blades of high-grade chrome-molybdenum steel, chrome-plated
- > 2-component-handle for a hands-friendly transfer of force
- > Moulded handles form a firm unit with the blades
- > 5-sided grip heads prevent rolling away

€15,³⁸
+ VAT



Code	No.	Contents
3301270	R38002006	Screwdriver slotted 3 5.5 6.5 mm Screwdriver PH 0 1 2

Pieces	Weight kg
6	0,46

R3660 1009
ALLEN KEY SET HEX
WITH COLOUR CODING
9 parts, long

- > Colour coded plastic coating to find the right L-key faster
- > Round shape
- > Long version with ball end
- > Folding holder with belt clip

€19,⁶⁶
+ VAT



Code	No.	Contents	Pieces	Weight kg
3301332	R36601009	1.5 2 2.5 3 4 5 6 8 10 mm	9	0,6

R3640 1009
ALLEN KEY SET TX
WITH COLOUR CODING
9 parts, long

- > Colour coded plastic coating to find the right L-key faster
- > Round shape
- > In compact plastic case
- > Folding holder with belt clip

€22,¹⁸
+ VAT



Code	No.	Contents	Pieces	Weight kg
3301333	R36401009	T10 T15 T20 T25 T27 T30 T40 T45 T50	9	0,6



R2020 0007

WORKSHOP TROLLEY WINGMAN

with 7 drawers

- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > Working platform with ABS top
- > Side frame with square perforation for accessories, with paper roll holder, can holder, waste basket
- > Large manoeuvring handle on both sides
- > 7 drawers with telescopic full-extension runners with individual locking (one-hand operation)
- > The individual drawer locking stops more than one drawer being opened - provides for considerable stability
- > Load capacity 35 kg per drawer
- > Drawers with anti-slip mat
- > Central locking with cylinder lock with 4 keys
- > Two swivel castors Ø 125 mm, with brake, two fixed castors

Code	No.	RAL	Length mm	Width mm	Height mm
3301690	R20200007	3020 / 7016	470	724	1.034
Drawers		Max. load-bearing capacity kg	Number of drawers		Weight kg
5 x H = 83 mm		450	7		79,8
2 x H = 155 mm					

R2207 1004

TOOL SET IN WORKSHOP TROLLEY WINGMAN

129 pieces

- > As basic equipment for the workshop, basic range for beginners of all professional groups or the experienced
- > Metric tool sizes
- > Clearly arranged in GEDORE red foam modules
- > With check tool system: Completeness check using 2-colored foam inserts

€1119,33 + VAT



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Pieces	Weight kg
3301694	R22071004	RAL 3020/7016	470	724	1.034	5x H = 83 mm 2x H = 155 mm	450	7	129	93,6

Contents

R22350000 Tool set inserts, ratchet, accessories 1/4"-1/2", R22350005 Tool set screwdriver, pliers, hammer, chisel
R22350006 Tool set ring ratchet wrench, double open-end wrench

R2040 0006

TOOL TROLLEY MECHANIC PLUS

with 6 drawers

- › Large storage space with adjustable shelf, separately lockable
- › Strong, sheet steel construction, torsionally rigid, designed to take high loads
- › 988 x 431 mm working platform made of wood, 30 mm thick
- › 6 drawers with telescopic fully extending runners, with individual locking (one-hand operation)
- › The individual locking device - unlockable only with a practical, concealed release bar - prevents the drawer being opened when the trolley is in motion
- › Load capacity 25 kg per drawer, variable partitionable
- › 2 swivel casters Ø 100 mm of which one has a double-stop wheel lock, 2 castors Ø 140 mm, side projecting thus affording considerable stability



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Shelves	Worktop thickness mm	Weight kg
3301818	R20400006	3020 / 7016	1.080	515	935	4 x H 69 mm 1 x H 144 mm 1 x H 218 mm	210	6	1	30	83,4

R2015 0006

TOOL TROLLEY MECHANIC

with 6 drawers

- › Solid sheet steel construction, torsion-resistant, high load capacity
- › Working platform with ABS top
- › Sides with Euro-standard square perforation for accessories
- › 6 drawers with telescopic fully extending runners, with individual locking (one-hand operation)
- › The individual locking device - unlockable only with a practical, concealed release bar - prevents the drawer being opened when the trolley is in motion
- › Load capacity 25 kg per drawer, variable partitionable
- › Central locking with cylinder lock with 4 keys
- › 2 swivel casters Ø 100 mm of which one has a double-stop wheel lock, 2 castors Ø 125 mm, side projecting thus affording considerable stability



€395,63 + VAT



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
3301663	R20150006	RAL 3020/7016	720	500	910	4 x H 69 mm 1 x H 144 mm 1 x H 218 mm	210	6	57



R2156 0001

TOOL SET IN WORKSHOP TROLLEY MECHANIC

119 pieces

- › Solid sheet steel construction, torsion-resistant, high load capacity
- › Working platform with ABS top
- › Sides with Euro-standard square perforation for accessories
- › 6 drawers with telescopic fully extending runners, with individual locking (one-hand operation)
- › Metric tool sizes
- › Clearly arranged in GEDORE red foam modules
- › With check tool system: Completeness check using 2-colored foam inserts
- › 2 swivel casters Ø 100 mm, 1x with double-stop wheel lock, 2 castors Ø 140 mm, side projecting thus affording considerable stability

€861,³⁴ + VAT



Code	No.	Length mm	Width mm	Height mm	Drawers
3301667	R21560001	418	628	910	4 x H 69 mm 1 x H 144 mm 1 x H 218 mm
Number of drawers					Pieces
6					119
					Weight kg
					70

Contents

R22150018 Pliers set in 1/3 module
 R22150006 Socket wrench set 1/4" in 1/3 module
 R22150009 Socket wrench set 1/2" in 1/3 module
 R22150013 Screwdriver set in 1/3 module
 R22150019 Hammer and chisel set in 1/3 module
 R22150008 ratchet with accessories 1/2" in 1/3 module
 R22150015 screwdriver set in 1/3 module
 R22250000 combination spanner set and offset screwdriver in 2/3 module
 R93200025 cutter knife with 5-fold blades
 R94550003 tape measure 3 m

R2015 2006

WORKSHOP TROLLEY MECHANIC

6 drawers, black, matt

- › Strong, sheet steel construction, torsionally rigid, designed to take high loads
- › 6 drawers with telescopic fully extending runners, with individual locking (one-hand operation)
- › Load capacity 25 kg per drawer, variable partitionable
- › Central locking with cylinder lock with 4 keys

€395,⁶³ + VAT



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
3300012	R20152006	3020/7016	628	418	910	4 x H = 69 mm 1 x H = 144 mm 1 x H = 218 mm	210	6	56

R2156 0005

TOOL SET IN WORKSHOP TROLLEY MECHANIC

129 pieces

- › Solid sheet steel construction, torsion-resistant, high load capacity
- › Working platform with ABS top
- › Sides with Euro-standard square perforation for accessories
- › 6 drawers with telescopic fully extending runners, with individual locking (one-hand operation)
- › Metric tool sizes
- › Clearly arranged in GEDORE red foam modules
- › With check tool system: Completeness check using 2-colored foam inserts

€947,⁰⁶ + VAT



Code	No.	Contents
3300031	R21560005	R22350000 Tool set sockets, ratchet, accessories 1/4" - 1/2" R22350005 Tool set screwdrivers, pliers, hammer, chisel R22350006 Tool set ratchet wrenches, double open-ended spanner

Number of drawers
6

Pieces
129

Weight kg
70



R2156 2002

WORKSHOP TROLLEY MECHANIC WITH 6 DRAWERS R20152006 + SET R21010002

166 pieces

- › Strong, sheet steel construction, torsionally rigid, designed to take high loads
- › Working platform with ABS top
- › Sides with Euro-standard square perforation for accessories
- › 6 drawers with telescopic fully extending runners, with individual locking (one-hand operation)
- › Metric tool sizes
- › Clearly arranged in GEDORE red foam modules
- › With check tool system: Completeness check using 2-colored foam inserts

€1119,³³ + VAT



Code	No.	Number of drawers	Pieces	Weight kg
3300013	R21562002	6	166	166

Contents

R22150006 1/4" socket wrench set in 1/3 foam module
R22150000 Double ring wrench set in 1/3 foam module
R22150018 Set of pliers in 1/3 foam module
R22150019 Hammer and chisel set in 1/3 foam module
R22150009 Socket wrench set 1/2" in 1/3 foam module
R22150008 Ratchet with accessories 1/2" in 1/3 foam module
R22250001 Combination ratchet wrench set in 2/3 foam module
R22150014 Screwdriver set in 1/3 foam module
R22150015 Screwdriver set in 1/3 foam module
R22150017 Set of circlip pliers in 1/3 foam module
R27200010 Grip pliers 10", R33005031 Bit-Box 1/4"
R38990000 (De)magnetizer, R94420021 Caliper gauge
R93200025 Cutter knife with 5-fold blades, R94650013 Feeler Gauge Set, 13 pcs.
R93160052 Half-round file, R94550003 Tape measure 3 m

R2015 2205

WORKSHOP TROLLEY GEDWORKER

with 5 drawers

- > Sheet steel, corrosion-resistant and scratch-resistant powder-coated
- > Working platform with cover made of ABS plastic with 3 compartments for small parts
- > Central locking system
- > Ball-bearing guide rails
- > All drawers can be pulled out on both sides
- > Load capacity per drawer 20 kg
- > Additional storage compartment for larger items below the last drawer
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads




Made in Austria

€387,⁸² + VAT

GEDORE red



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
3301675	R20152205	RAL 9005	685	462	963	2xType 1, H=74mm 3xType 2, H=119mm	200	5	41



R2156 2005

TOOL SET IN WORKSHOP TROLLEY GEDWORKER

119 pieces

- > As basic equipment for the workshop, basic range for beginners of all professional groups or the experienced
- > Metric tool sizes
- > Clearly arranged in GEDORE red foam modules
- > With check tool system: Completeness check using 2-colored foam inserts



€818,⁴⁹ + VAT



Made in Austria

Code	No.	Number of drawers	Pieces	Weight kg
3301676	R21562005	5	119	55,46

Contents

R22150018 Set of pliers in 1/3 in foam module
 R22150006 Socket wrench set 1/4" in 1/3 in foam module
 R22150009 Socket wrench set 1/2" in 1/3 in foam module
 R22150013 Screwdriver set in 1/3 in foam module
 R22150019 Hammer and chisel set in 1/3 in foam module
 R22150008 Ratchet with accessories 1/2" in 1/3 in foam module
 R22150015 Screwdriver set in 1/3 in foam module
 R22250000 Combination wrench set and offset screwdriver in 2/3 in foam module
 R93200025 Cutter knife with 5 spare blades
 R94550003 Roll tape measure 3 m

R2020 2207

WORKSHOP TROLLEY GEDMASTER

with 7 drawers

- > Sheet steel, corrosion-resistant and scratch-resistant powder-coated
- > Working platform with cover made of ABS plastic with 4 compartments for small parts
- > Side panels with Euro perforation 10 x 38 mm for attaching accessories
- > Central locking with cylinder lock
- > Each drawer with safety locking, single-hand operation
- > All drawers with full extension and ball bearing guide rails
- > Load capacity per drawer 40 kg
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

€674,⁷⁹ + VAT



Made in Austria



Code	No.	RAL	Length mm	Width mm	Height mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
3301677	R20202207	RAL 9005	790	470	999	5xType 1, H=70mm 2xType 2, H=145mm	400	7	65


R2207 1005

TOOL SET IN WORKSHOP TROLLEY GEDMASTER



273 pieces

- > Extensive range for industry, trade, automotive and the advanced do-it-yourselfer
- > Metric tool sizes
- > Clearly arranged in GEDORE red foam modules
- > With check tool system: Completeness check using 2-colored foam inserts

€1545,³⁸ + VAT



Made in Austria



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3301678	R22071005	790	470	999	273	88,5

Contents

Tool trolley GEDMaster 7 drawers, 1/4" 2C-Reversible ratchet L.150mm, 1/4" Extension L.50mm, 1/4" Extension L.100mm, 1/4" Extension L.150mm, 1/4" Sliding T-bar with slider L.115mm, 1/4" Universal joint L.33mm, 1/4" Driving handle L.62mm 2C-handle, 1/4" Bit-Adapter square x hexagon L.24.7mm, 1/4" Bit-Box SL+PH+PZ+TX+hexagon 32 pcs, 1/4" Ratchet screwdriver with telescopic blade, 3/8" 2C-Reversible ratchet L.180mm, 3/8" Socket hexagon 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22, 3/8" Extension L.125mm, 3/8" Extension L.150mm, 3/8" Sliding T-bar with slider, Converter 3/8" x 1/2" square L.44mm, Reducer 3/8" to 1/4", 1/2" 2C-Reversible ratchet L.250mm, 1/2" Universal joint L.66mm, 1/2" Extension L.75mm, 1/2" Extension L.125mm, 1/2" Extension L.250mm, 1/2" Sliding T-bar with slider, Hexagon socket key set hexagon.5-10mm 9 pcs, 1/4" Socket hexagon 4 4,5 5 5,5 6 7 8 9 10 11 12 13 14 L.25mm, 1/4" Socket hexagon 4 4,5 5 5,5 6 7 8 9 10 11 12 13 L.50mm, 1/4" Socket TX E5 E6 E7 E8 E10 L.25mm, 1/4" Screwdriver bit socket 3 4 5 6 L.37mm, 1/4" Screwdriver bit socket PH1 PH2 L.37mm, 1/4" Screwdriver bit socket P21 P22 L.37mm, 1/4" Screwdriver bit socket SC 5 5,5 6 L.37mm, 1/4" Screwdriver bit socket TX B0 T10 T15 T20 T25 T27 T30, 1/4" Screwdriver bit socket TX T10 T15 T20 T25 T27 T30 T40, 1/2" Socket hexagon 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 32, 1/2" Socket hexagon 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32, 1/2" Socket TX E8 E10 E11 E12 E14 E16 E18 E20 E22 E24, 1/2" Spark plug socket 16 21, 1/2" Screwdriver bit socket 4 5 6 7 8 9 10 11 12 14 17 19 L.55mm, 1/2" Screwdriver bit socket 5 6 7 8 10 12 14 17 L.100mm, 1/2" Screwdriver bit socket TX T20 T25 T27 T30 T40 T45 T50 T55 T60 L.55mm, 1/2" Screwdriver bit socket TX T20 T25 T27 T30 T40 T45 T50 T55 T60 L.100mm, 1/2" Screwdriver bit socket XZN M5 M6 M8 M10 M12 M14 M16, Combination pliers L.180mm 2C-handle, Side cutter L.160mm 2C-handle, Telephone plier straight L.200mm 2C-handle, 2C-Screwdriver slot 3 4 5, 5 6, 5, 2C-Screwdriver PH1 PH2, 2C-Screwdriver TX T10 T15 T20 T25 T30 T40, Water pump pliers 10", Engineer's hammer 300g L.300mm, Drift punch octagonal 120x4mm Ø12mm, Centre punch octagonal 120x4mm Ø10mm, Pin punch octagonal 150x4mm Ø10mm, Flat chisel flat oval 125x15x9mm, Flat chisel flat oval 150x18x11mm, Cross cut chisel flat oval, Pliers wrench 10", Combination spanner 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32, Combination ratchet spanner 10 13 17 19

R2800 2003

PLIER SET

3 pieces

- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chromium vanadium steel

€34,²⁰
+ VAT



Code	No.	Contents	Pieces	Weight kg
3301155	R28002003	Combination pliers 180 mm Side cutter 160 mm Telephone pliers, straight 200 mm	3	0,711

R2830 XXXX

COMBINATION PLIERS

- > Acc. to DIN ISO 5746
- > With gripping zones for flat and round stock
- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chromium vanadium steel

from

€17,⁰⁶
+ VAT



Code	No.	Length mm	Weight kg	excl. VAT
3301124	R28302180	180	0,3	17,06
3301125	R28302200	200	0,36	19,66

R2810 XXXX

WATER-PUMP-PLIERS

7 settings

- > Acc. to DIN 8976 Form C
- > Lengthways-serrated grip surfaces
- > With box joint
- > 7 settings
- > With box joint
- > Chromium vanadium steel
- > Red powder-coated

from

€11,⁰⁹
+ VAT



Code	No.	Clamping reach mm	Length mm	Weight kg	excl. VAT
3301174	R28100007	25	180	0,16	11,09
3301175	R28100010	33	250	0,37	12,86

R2815 4010

WATER PUMP PLIERS

automatic one-hand adjustment

- > Automatic setting mechanism for one-handed operation
- > Push-through joint, high stability
- > Lengthways-serrated grip surfaces

€19,⁶⁶
+ VAT



Code	No.	Clamping reach mm	Clamping width inch
3301172	R28154010	35	10
Length inch	Length mm	Weight kg	
10	250	0,38	



R2850 XXXX

TELEPHONE-PLIERS straight

- > Acc. to DIN ISO 5745
- > Straight grip surfaces, lengthways-serrated
- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chromium vanadium steel

from

€16,22
+ VAT



Code	No.	Length mm	Weight kg	excl. VAT
3301131	R28502160	160	0,2	16,22
3301133	R28502200	200	0,24	19,66

R2840 2160

SIDE CUTTER

- > Acc. to DIN ISO 5749
- > Slim head
- > Induction-hardened long cutting edges
- > 2-component-handle for easy transfer of force
- > Chromium vanadium steel

€17,06
+ VAT



Code	No.	Length mm	Weight kg
3301130	R28402160	160	0,22

R2842 2200

POWER SIDE CUTTER

- > Acc. to DIN ISO 5749
- > High cutting performance with low force
- > Slim head
- > Induction-hardened long cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chromium vanadium steel

€24,87
+ VAT



Code	No.	Length mm	Weight kg
3301128	R28422200	200	0,34

R0170 0008

MULTI-FITTING KEYS

- > Versatile applications: Combines six common key profiles in one tool – ideal for control cabinets, heating systems, elevators, and industrial systems
- > Robust construction: Made from high-quality metal for durability and resistance in daily use
- > Compact design: Lightweight and handy, fits easily into any tool bag or pocket
- > Ergonomic handling: Thoughtful design enables comfortable work even in hard-to-reach areas
- > Quick tool change: Easy switching between different key profiles saves time and increases efficiency
- > Wide range of applications: Suitable for electricians, heating engineers, service technicians, and facility managers

€7,61
+ VAT

Combines six
common key profiles

Ergonomic
handling



Robust
construction

Fast tool change

Code	No.	Length mm	Width mm	Height mm	Weight kg
3301908	R01700008	72	72	15	0,065

R9920 0001

MAGNETIC LIFTER

- > 4-prong claw grabber: Allows secure gripping and holding of small objects in hard-to-reach areas
- > Integrated LED lighting: Provides optimal visibility in dark or poorly lit work areas
- > Flexible shaft: Flexible design allows access to objects in narrow or angled spaces
- > Magnetic tip: Ideal for picking up metallic small parts such as screws or nuts
- > Ergonomic handle: Provides comfortable grip and precise control when grabbing
- > Versatile applications: Suitable for workshops, households, plumbing, and automotive applications

€11,01
+ VAT

LED illumination

Long reach
and flexibility

Ergonomic handle

Precise gripping
of various object sizes



Code	No.	Total length mm
3301927	R99200001	720

Weight kg
0,134

NEW**R9920 0000**

8IN1 SHK MULTIFUNCTION KEY

- › Combines 8 tools in one – ideal for plumbing installations on faucets, shut-off valves, filter baskets, and more
- › ABS plastic and high-quality aluminum – robust, wear-resistant, and environmentally friendly
- › 360° rotatable head allows easy access to hard-to-reach places
- › Ergonomic design with non-slip grip for safe and comfortable use
- › Compact, lightweight format – ideal for mobile use and space-saving storage
- › Facilitates assembly and disassembly of fastening nuts – saves time and effort
- › Easy to clean and maintain – even with regular use


€ 8,36
+ VAT

**High stability
and long service life**

**Multiple functions in one
tool, universally usable**

**Efficient work
with minimal effort**

**Better handling
and less slipping**



Code	No.	Length mm	Width mm	Height mm	Weight kg
3301923	R99200000	245	50	50	0,179

R9530 0139

PEN LAMP

- › Ideal as a work lamp for mobile use
- › Protected against the ingress of small dust particles and splashing water
- › Good grip even with oily and sweaty hands
- › Can also be used with gloves
- › Practical clip for attaching to a belt, shirt pocket or trouser pocket

€16,⁹⁷ + VAT




Code	No.	Luminous flux	Length mm	Weight kg
3301758	R95300139	130	139	0,09
Width mm	Height mm			
15	15			

R9570 0089

MINI WORK LAMP

- › Mobile companion for all applications
- › Extremely bright lamp in a small compact format
- › 2 Magnets provide different holding options in different work areas
- › Practical clip for attaching to a belt, shirt pocket or trouser pocket

€23,⁰³ + VAT



Code	No.	Luminous flux	Length mm	Weight kg
3301759	R95700089	300	89	0,09
Width mm	Height mm			
21	12			

R9560 0320

INSPECTION LAMP

- › Ideal as a work lamp for mobile use in various areas
- › 5 switching functions for adjustable brightness
- › Magnet and 180° rotatable hook provide different holding options
- › Enables flexible and mobile use, as well as hands-free work

€36,⁶⁴ + VAT



Code	No.	Luminous flux	Length mm	Weight kg
3301760	R95600320	500	320	0,3
Width mm	Height mm			
33	43			

R9540 0145

SPOTLIGHT

- › Compact, portable spotlight
- › Ideal for working in places without power supply
- › Shockproof and splash-proof rubberized border
- › 180° rotatable stand

€31,⁵¹ + VAT



Code	No.	Luminous flux	Length mm	Weight kg
3301761	R95400145	1.400	145	0,45
Width mm	Height mm			
40	145			

NEW

R9560 0128

STICK LAMP 150

- > Moderate brightness: 150 lumens, ideal for targeted illumination of small work areas
- > Compact design – lightweight and handy
- > Switch functions: top LED (100 lm), main LED (150 lm), off – easy operation
- > Protection & robustness: IP54 & IK07 protection against dust and shock
- > Long runtime: Up to 3.5 hours of illumination
- > USB-C charging: Quick charge function, approx. 2.5 h charging time, incl. charging cable
- > Design: Matte finish with black on-off switch

€21,⁰¹ + VAT




150 lumens

Highly portable and
comfortable to hold

Flexible brightness
selection as needed

Protection against
dust and impact



Code	No.	Luminous flux	Length mm	Width mm	Height mm	Weight kg
3301924	R95600128	150	128,2	23,4	17,9	0,036

R9570 0176

CLAMP LAMP 1700

- > Extremely high brightness: Up to 1700 lumens, continuously adjustable in 4 modes (Eco 100 lm, Low 300 lm, Medium 700 lm, High 1700 lm)
- > Very long runtime: Up to 24 hours operating time in Eco mode
- > Robust construction: IP65 and IK07 protection – dustproof, waterproof, and shockproof
- > Flexible design
- > Foldable (176.2 x 104.1 x 95.2 mm) and unfolded (205 x 104.1 x 174.8 mm)
- > 360° ball joint for flexible alignment
- > Practical mounting options: Clamp for attaching or standing, strong holding magnet for hands-free work
- > USB-C charging function: Includes USB Type-A to USB Type-C charging cable, approx. 5 hours charging time
- > Weight: 628 g – stable yet portable

€59,08
+ VAT

1700
lumens



Extremely long operation
in energy-saving mode

Various mounting options
for hands-free work



Very high and
adjustable brightness

Code	No.	Luminous flux	Length mm	Width mm	Height mm	Weight kg
3301925	R95700176	1.700	104,1	95,2	176,2	0,628

NEW

R9530 0073

MINI-BOOST 1000

€27,82
+ VAT

- > High brightness: Up to 1000 lumens in boost mode for extremely bright light
- > Long runtime: Up to 10 hours of light output in reduced modes
- > Versatile switch functions: 4 modes: 50% (250 lm), 100% (500 lm), Boost (1000 lm), Off – easy operation
- > Robust design: Aluminum housing with IP44 protection and IK07 shock resistance
- > Practical features: Strong holding magnet in the clip, USB-C charging port, charge control and remaining capacity display
- > Compact & lightweight: Dimensions: 22.5 x 21 x 73 mm, weight: 56 g – perfect for on the go
- > Scope of delivery: USB Type-C charging cable included

Long-lasting operation
with lower consumption

Versatile mounting and
charging options plus indicator

1000 lumens

Highly portable
and discreet to carry



Code	No.	Luminous flux	Length mm	Width mm	Height mm	Weight kg
3301926	R95300073	1.000	73	22,5	21	0,56

R3930 XXXX

VDE SCREWDRIVER

for cross-head screws PZ

- › Acc. to DIN 7438, DIN ISO 8764
- › VDE-insulated acc. to DIN EN 60900
- › Blade of high-grade chrome-molybdenum steel
- › Driven tip phosphated, corrosion-protected and low-wear
- › 2-component-handle for a hands-friendly transfer of force
- › Moulded handle forms a firm unit with the blade
- › 5-edge handle head stops it rolling off when put down

from

€5,¹²
+ VAT



Code	No.	Drive size [mm]	Blade length mm	Length mm	Weight kg	excl. VAT
3301406	R39300115	1	80	182	0,079	5,12
3301407	R39300219	2	100	210	0,104	6,35

R3920 XXXX

VDE SCREWDRIVER

for cross-head screws PH

- › Acc. to DIN 7438, DIN ISO 8764
- › VDE-insulated acc. to DIN EN 60900
- › Blade of high-grade chrome-molybdenum steel
- › Driven tip phosphated, corrosion-protected and low-wear
- › 2-component-handle for a hands-friendly transfer of force
- › Moulded handle forms a firm unit with the blade
- › 5-edge handle head stops it rolling off when put down

from

€6,³⁵
+ VAT



Code	No.	Tip size cross recess (PH)	Blade length mm	Length mm	Weight kg	excl. VAT
3301404	R39200115	1	80	180	0,07	6,35
3301405	R39200219	2	100	210	0,105	7,67

R3910 XXXX

VDE SCREWDRIVER

for slotted head screws

- › Acc. to DIN 5264, DIN ISO 2380
- › VDE-insulated acc. to DIN EN 60900
- › Blade of high-grade chrome-molybdenum steel
- › Driven tip phosphated, corrosion-protected and low-wear
- › 2-component-handle for a hands-friendly transfer of force
- › Moulded handle forms a firm unit with the blade
- › 5-edge handle head stops it rolling off when put down

from

€5,⁰³
+ VAT



Code	No.	Blade width mm	Blade length mm
3301400	R39102514	2,5	75
3301401	R39100319	3,0	100
3301402	R39100419	4,0	100
3301403	R39105524	5,5	125



Total length mm	Weight kg	excl. VAT
145	0,03	5,03
170	0,036	6,61
210	0,071	6,80
235	0,091	7,67

NEW

R2800 2204

MULTI-WIRE STRIPPER


- > 5-in-1 function: For gripping, stripping, cutting, separating, and crimping
- > Separation function: Suitable for thread sizes M3 and M3.5
- > Crimping areas: Suitable for cable cross-sections from 0.75 – 2.5 mm²
- > Stripping function: For insulation diameters from 1 – 3.2 mm
- > Ergonomic 2-component grips: Non-slip and comfortable for prolonged use

€11,76_{+ VAT}

Ergonomic
2-component handles

Flexible stripping
range for various cables

Multiple functions
in one tool



Precise separation
of screw connections



Code	No.	Length mm
3301910	R28002204	203

Weight kg
0,262

NEW

R2800 2220

MULTI-COMBINATION PLIERS

- > 3-in-1 function: For cutting, crimping, and gripping cables and wires
- > Cutting function: Suitable for wire up to 2 mm in diameter
- > Crimping areas: Suitable for cable cross-sections from 0.75 – 1.5 mm² and 1.5 – 2.5 mm²
- > Stripping function: For insulation diameters from 1 – 2.6 mm
- > Ergonomic 2-component grips: Non-slip and comfortable for prolonged use

€ 8,³⁶ + VAT

Combines key
functions in one tool

Various crimp zones for
standard cross-sections

Ergonomic
2-component handles

Cleanly cuts
common wire sizes



Code	No.	Length mm
3301911	R28002220	220

Weight kg
0,36

NEW

R2800 2200

MULTI-SIDE CUTTER

- › Side cutter with multiple functions – suitable for cutting, gripping, and holding
- › Cutting capacity up to 2 mm wire diameter – ideal for soft and medium wires
- › Crimping possible for conductor cross-sections from 0.75 – 1.5 mm² and 1.5 – 2.5 mm²
- › Stripping area for insulation diameters from 1 – 2.6 mm – precise cable stripping
- › 2-component grip with non-slip surface – secure hold and fatigue-free work

€ 8,36 + VAT

Combined functions
for versatile use

Additional
crimp functionality

Ergonomic
2-component handles

Suitable for
many wire types



Code	No.	Length mm
3301912	R28002200	200

Weight kg
0,309

NEW

R2800 2235

MULTI FLAT-ROUND PLIERS

- > Flat-round pliers with additional functions for cutting, crimping, and stripping
- > Cutting area up to 2 mm wire diameter – suitable for various cable types
- > Crimping function for cross-sections 0.75 – 1.5 mm² and 1.5 – 2.5 mm² – ideal for electrical connections
- > Integrated stripping zones for diameters from 1 – 2.6 mm – clean insulation removal
- > Ergonomic 2C handle – safe and comfortable handling during repeated use


€ 8,36 + VAT

Fast and precise stripping

Multifunctional for various work steps

Ergonomic 2-component handles

Suitable for common wire sizes




Code	No.	Length mm
3301913	R28002235	235

Weight kg
0,344

R2910 0010**VDE WATER PUMP PLIERS**

- › For tightening and loosening screw connections e.g. control cabinets
- › Acc. to DIN ISO 8976 Form C
- › Complies with VDE 0682 Part 201 and EN/IEC 60900
- › Lengthways-serrated grip surfaces
- › With box joint

**€24,87**
+ VAT

Code	No.	Clamping reach mm	Length inch	Length mm	Weight kg
3301413	R29100010	39	10	250	1,45

R2940 0180**VDE SIDE CUTTER**

- › Acc. to DIN ISO 5749
- › Complies with VDE 0682 Part 201 and EN/IEC 60900
- › High cutting performance with low force
- › Slim head
- › Induction-hardened long cutting edges
- › 2-component-handle for a hands-friendly transfer of force
- › Special tool steel, forged

€18,82
+ VAT

Code	No.	Length mm	Weight kg
3301410	R29400180	180	0,28

R2951 0200**VDE TELEPHONE PLIERS
offset**

- › Acc. to DIN ISO 5746
- › Complies with VDE 0682 Part 201 and EN/IEC 60900
- › 45° angled grip surfaces, lengthways-serrated
- › Induction-hardened long cutting edges
- › 2-component-handle for a hands-friendly transfer of force
- › Special tool steel, forged

€19,66
+ VAT

Code	No.	Length mm	Weight kg
3301412	R29510200	200	0,24

R2950 0200**VDE TELEPHONE PLIERS**

- › Acc. to DIN ISO 5745
- › Complies with VDE 0682 Part 201 and EN/IEC 60900
- › Straight grip surfaces, lengthways-serrated
- › Induction-hardened long cutting edges
- › 2-component-handle for a hands-friendly transfer of force
- › Special tool steel, forged

€18,82
+ VAT

Code	No.	Length mm	Weight kg
3301411	R29500200	200	0,26

R2930 XXXX**VDE COMBINATION PLIERS**

- › Acc. to DIN ISO 5746
- › Complies with VDE 0682 Part 201 and EN/IEC 60900
- › With gripping zones for flat and round stock
- › Induction-hardened long cutting edges
- › 2-component-handle for a hands-friendly transfer of force
- › Special tool steel, forged

€17,98
+ VAT

Code	No.	Length mm	Weight kg	excl. VAT
3301408	R29300180	180	0,3	17,98
3301409	R29300200	200	0,34	19,66

from

R2820 0185

WIRE STRIPPER

- Suitable for flexible and solid conductors from 0.2 to 6.0 mm² – ideal for a wide range of electrical applications
- Automatic adjustment to conductor cross-sections – no manual re-adjustment required
- Integrated side cutter – for copper and wire conductors up to 2 mm diameter
- Precise length measurement from 5 to 12 mm – for consistent stripping results
- Lightweight at only 133 g – for fatigue-free work during prolonged use
- Ergonomic design for comfortable handling
- Compact design – total length 192 mm, fits in any tool bag

€21,⁰¹ + VAT



Time-saving,
reliable adjustment

Wide application range
for different conductor types

Combined functions
in one tool

Convenient handling
and secure grip



Code	No.	Length mm	Cable cross-section mm ²	AWG	Weight kg
3301902	R28200185	192	0,2 - 0,6	24-10	0,133

NEW

R2890 2205

CRIMPING PLIERS

- > Suitable for cross-sections of 2.5 / 4.0 / 6.0 mm² – specially for MC4® connectors
- > Easy handling
- > Ergonomics: High crimping force due to efficient lever transmission; ergonomically shaped handles with multi-component sleeves for comfortable handling

€ 66,⁷² + VAT

Efficient power transmission and comfort

High crimping force

Ergonomically shaped handles

Optimized for PV-specific cross-sections



Code	No.	Capacity mm ²	Total length mm	Total width mm	Weight kg
3301903	R28902205	2,5 mm ² 4,0 mm ² 6,0 mm ²	204	68	0,391

R3900 2020

VDE INTERCHANGEABLE BLADE SET

20 pieces

- > 20-piece VDE interchangeable blade screwdriver set – ideal for electrical and installation work
- > S2 steel “Slim” blades for precise work even in tight or deep areas
- > Includes 16 blades for versatile applications
- > Two ergonomic handles for comfortable and controlled work
- > Supplied in a robust pouch – ideal for mobile use and clean storage
- > Lightweight, compact, and perfectly organized for professional use

Available from May

€37,⁸¹ + VAT

Guaranteed electrical safety
Robust pouch
Several screwdrivers
in one compact set
Practical color coding for quick
identification of the right blade

Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3301961	R39002020	2x VDE screwdriver handle, 1x triangular key, 1x square key 5x slotted 1.2 × 6.5 1.0 × 5.5 0.8 × 4.0 0.6 × 3.5 0.5 × 3.0 100 mm 2x Phillips PH2 × 100 mm PH1 × 80 mm 2x Pozidriv PZ2 × 100 mm PZ1 × 80 mm 3x TX T20 T15 T10 100 mm 2x PlusMinus slotted/Phillips SL/PH2 × 100 mm SL/PH1 × 80 mm 2x PlusMinus slotted/Pozidriv SL/PZ2 × 100 mm SL/PZ1 × 80 mm	215	100	65	20	0,001

NEW

R2960 2200

VDE CABLE SHEARS

- > Burr-free cutting: Enables clean, smooth, and burr-free cutting of copper and aluminum cables up to Ø 10 mm (50 mm²)
- > Ergonomic handles: The ergonomically shaped plier handles provide comfortable and fatigue-free working
- > Chrome-plated surface: The high-quality chrome-plated plier surface protects against rust and increases durability
- > VDE insulation: Tested according to IEC 60900 for safe work on live parts up to 1,000 V AC

€ 25,²⁹ + VAT

Gentle, clean cutting without
crushing the conductor

Safe use
on live parts

Ergonomically
shaped handles



Code	No.	Cable cross-section mm ²	Cable diameter mm	Total length mm	Weight kg
3301904	R29602200	50	10	210	0,274

R2951 2205

VDE TELEPHONE PLIERS

offset

- > VDE tested up to 1,000 V: Safe work on live parts according to VDE 0682 Part 201 and EN/IEC 60900
- > 45° angled, longitudinally serrated gripping surfaces: Ideal for precise gripping and holding in hard-to-reach areas
- > Induction-hardened cutting edges: Durable cutting edges for hard and soft wires
- > Ergonomic 2-component handle: Non-slip and comfortable grip for optimal power transmission


€ 23,⁶¹ + VAT

Good power transmission
with secure grip

Ergonomically
shaped handles

Better grip and
holding power
in tight spaces

Approved tool for work
on electrical installations



Code	No.	Length mm	Weight kg
3301907	R29512205	205	0,243

R2820 2125

STRIPPING TOOL

- > Application area: Suitable for convenient stripping of all common round and damp-proof cables with a diameter of 8 to 13 mm, such as NYM cables from 3 x 1.5 mm² to 3 x 2.5 mm², Cat5e & Cat6, RG6 & RG59
- > Suitable for flexible and solid conductors from 0.5 to 6.0 mm² (20-10 AWG) – ideal for various applications in the electrical sector
- > Ergonomic design: Comfortable handling and increased safety due to ergonomic grip shape; the tool design minimizes slipping during use
- > Tool head: Rounded, space-saving tool head fits perfectly to modern socket geometry
- > Design: Extended shape allows better access when stripping, even in deep cavity wall boxes and hard-to-reach places

€21,⁰¹ + VAT

Increased safety thanks
to ergonomic handle shape

Improved access
in deep boxes



Secure grip and
comfortable operation

Broad compatibility
with cable types and sizes

Code	No.	Length mm	Width mm	Height mm	Cable diameter mm ²	Weight kg
3301928	R28202125	125	26	25	0,5 to 6,0 mm ²	0,048

R2165 2005

PHOTOVOLTAIC KIT

5 pieces

- > Complete set for MC4® connectors: Includes all necessary tools for professional installation and maintenance of PV connector systems
- > Matching crimping tool (R28902205): Suitable for conductor cross-sections of 2.5 / 4.0 / 6.0 mm² – specially designed for MC4® connectors
- > MC4® assembly wrench set (R99300000): For easy tightening and loosening of cable glands as well as for opening MC4® and MC4® Evo2 solar connectors
- > VDE cable cutter (R29602200) for Al & Cu cables up to Ø 10 mm (50 mm²)
- > Wire stripping tool (R28200185) for 0.2 – 6.0 mm² (24-10 AWG) wires
- > Robust plastic case: With foam insert and custom cutouts for each tool
- > Compact size & weight of 1,905 g – ideal for mobile use

€142,77
+ VAT

Crimping pliers
adapted to PV
cross-sections

Safe, organized
storage
and transport

All-in-one
solution
for PV work



Special tool including
locking solution



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3301901	R21652005	R28200185 Wire stripper, R28900205 Crimping pliers R29602200 VDE cable cutter, R99300000 MC4 assembly tool, 2-piece	357	275	77	5	1,905

R9930 0000

MC4 ASSEMBLY TOOL

2 pieces

- > Special tool for photovoltaics: Ideal for tightening and loosening cable glands on MC4® and MC4® Evo2 solar connectors
- > Locking solution: Enables unlocking of MC4® housings even with the safety sleeve attached
- > Lightweight and compact: Weighs only 14 g and is 130 mm long, easy to handle and transport
- > High-quality material: Made from polycarbonate for increased stability and durability

€ 8,36
+ VAT

Unlocks latches even
under difficult conditions

Very handy and portable



Precise solution
for MC4® & MC4®-Evo2
plug systems



Code	No.	Length mm	Width mm	Height mm	Weight kg
3301905	R99300000	130	38	20	0,014

NEW

R9095 2007

DEEP HOLE MARKER

- > Versatile application: Ideal for precise markings on wood, metal, plastic, and other materials
- > Replacement leads: 2 black, 2 red, and 2 yellow
- > Robust leads: Break-resistant and durable, even with intensive use
- > Integrated sharpener: Enables quick sharpening directly at the marker
- > Practical quiver: With clip for easy attachment to clothing or tool bag
- > Ergonomic design: Fits well in the hand and allows precise work even in hard-to-reach places

€8,40
+ VAT

**High reliability
and durability**

**Fast re-sharpening
without additional tools**

**Usable on
many surfaces**

**Color coding for
different markings**



Code	No.	Length mm	Width mm	Height mm	Weight kg
3301914	R90952007	157	18	25	0,028

NEW

R9320 0023

SAFETY KNIFE

- > Premium safety knife for professional industrial and logistics applications
- > Fully automatic blade retraction technology for maximum cut protection
- > Ergonomic aluminum handle body for high stability and comfortable handling
- > Extra-long cutting depth – ideal for cardboard, film, strapping, paper rolls, and much more
- > Ambidextrous slider – perfect for both left- and right-handed users
- > Tool-free blade change for quick and efficient workflow
- > Robust, durable construction for demanding continuous use
- > High cutting force combined with excellent safety
- > Non-slip grip zones for precise and comfortable work
- > Compatible with various industrial blades for flexible applications

Maximum user safety

**Compatible
with standard
trapezoid blades**

Available from May

€9,24
+ VAT

**Fully automatic
blade retraction**

**Ergonomic plastic
handle body**



Code	No.	Total length mm	Weight kg
3301963	R93200023	189	0,001



R9397 0004 SPARE BLADES

- > Straight cutting edge
- > Set of 4 pieces



€16,⁴⁷ + VAT

Code	No.	Length mm	Weight kg
3301417	R93970004	180	0,1

R9000 0006 CHISEL & PUNCH SET

6 pieces

- > Tempered striking ends
- > Shaft copper, tip paint-coated in silver
- > Made from chrome-vanadium steel

€25,⁵⁵ + VAT



Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3300826	R90000006	170	110	30	6	0,77

Contents

Flat cold chisel - length 125 150 mm, Cross-cut chisel - length 125 mm
Drift punch - Ø 3 mm, Centre punch - Ø 4 mm, Pin punch - Ø 4 mm

GEDORE Werkzeugfabrik GmbH & Co. KG

Remscheider Straße 149
42899 Remscheid · GERMANY
Tel. + 49 (0) 21 91- 596 - 0
Fax + 49 (0) 21 91- 596 - 230
info@gedore.com
www.gedore.com

Vertrieb Deutschland
Tel. + 49 (0) 21 91- 596 - 900
Fax + 49 (0) 21 91- 596 - 999

GEDORE Automotive GmbH

Breslauer Straße 41
78166 Donaueschingen · GERMANY
Tel. +49 771 83223-0
Fax +49 771 83223-90
info.gam@gedore.com
www.gedore-automotive.com

GEDORE Torque Solutions GmbH

Bertha-Benz-Straße 12
71665 Vaihingen/Enz · GERMANY
T +49 7042 9441-0
F +49 7042 9441-41
torque-solutions@gedore.com

GEDORE AUSTRIA GmbH

Gedore-Str. 1
8190 Birkfeld / Stmk. · AUSTRIA
Tel. +43 (0) 3174 / 363 64 00
Fax +43 (0) 3174 / 363 83 20
sales.austria@gedore.com
www.gedore.at

GEDORE Tools S.A. (Pty) Ltd.

103 Qashana Khuzwayo (Shepstone) Road,
New Germany, 3610 - South Africa
PO Box 68, New Germany, 3620
SOUTH AFRICA
Tel. +27 (0) 31 / 705 3587
Fax +27 (0) 31 / 705 32770
esales@gedore.co.za
www.gedore.co.za

GEDORE IBÉRICA S.L.

c/Arangutxi 12, Poligono Industrial de Jundiz
01015 Vitoria Alava · SPAIN
Tel. +34-945-29 22 62
Fax +34-945-29 21 99
gedore@gedore.es
www.gedore.es

GEDORE Torque Ltd

(Formerly Gedore UK)
Tannery Lane, Gosden Common
Bramley, Guildford
Surrey
GU5 0AJ · UNITED KINGDOM
Tel. +44 (0) 1756 / 70 67 00
sales@gedoreuk.com
www.gedoreuk.com

GEDORE France SARL

Parc d'activités des Béthunes - La Mare II
10, avenue du Fief - Bât. 12
BP 79144 Saint-Ouen-l'Aumône
F-95074 Cergy Pontoise Cedex · FRANCE
Tél. +33 (0)1 34 40 16 60
jadore@gedore.com
www.gedore.com

GEDORE TECHNAG B.V.

Flemingweg 7, 2408 AV
Alphen aan den Rijn · NETHERLANDS
Tel. +31 (0) 172 / 42 73 50
Fax +31 (0) 172 / 42 73 60
info@gedore.nl
www.gedore.nl

GEDORE (INDIA) Private Limited

148, Sector 3, IMT Manesar
Gurgaon – 122051
Haryana · INDIA
Tel. +91 (0) 124 22910 – 65/66/67
Fax +91 124 2341067
sales@gedoreindia.com
www.gedore.in

GEDORE POLSKA Sp. z o.o.

ul. Żwirki i Wigury 56a
43-190 Mikołów · POLAND
Tel. +48 (0) 32 / 738-40 10
Fax +48 (0) 32 / 738-40 20
gedore@gedore.pl
www.gedore.pl

Ferramentas GEDORE do Brasil S.A.

Rua Vicentina Maria Fidélis,
275 Bairro Vicentina
São Leopoldo - RS | 93025-340 · BRAZIL
Tel. +55 51- 3589 9200
Fax + 55 51- 3589 9222
export@gedore.com.br
www.gedore.com.br

GEDORE TOOLS

300 Langner Rd
Suite 250
West Seneca, NY 14224 · USA
Phone: +1 (843) 225 5015
Fax: +1 (843) 300 0315
info@gedorettools.com
www.gedorettools.com

GEDORE Tool Trading (Shanghai) Co., Ltd.

1/F, Block 2, 1358 Pingan Road,
Minhang, Shanghai · CHINA 201109
Tel. +86-21-3388 7258
Fax +86-21-3388 7259
Service Hotline: 400 880 1858
info@gedore.cn
www.gedore.cn

Brands of the GEDORE Group
gedore.com · ochsenkopf.com

IMPULSE 2026 TOOL PROMOTION valid
from 01/04/2026 until 31/12/2026.
While stocks last.

*Special net prices per pc./set, plus VAT Delivery without decoration.
Technical specifications subject to modifications. No liability for printing errors.
Prices exclude VAT / for resellers only. Please ask your local dealer.